
















Snapper

| | STENS NO. | OEM NO. | DESCRIPTION/FITS MODELS |
|---|----------------|----------------------------------|--|
|  | 105-189 | 1-8198/7018198 | MUFFLER For 8 HP engines |
|  | 120-006 | 1-4359/1-1777/ 7014359 | FUEL FILTER Fits 1/4" ID fuel line; 75 micron |
|  | 125-179 | 1-2515/1-9378/ 7012515 | GAS CAP Fits new style tanks |
|  | 205-062 | 1-4604/7014604 | STEEL DRIVE WHEEL 9-175 size; fits 21" series 1 and 5 |
|  | 230-037 | 1-3313/1-0696/ 5-4073/7013313 | BEARING .750" ID x 1.781" OD x .610" HT |
|  | 230-106 | 2-8014/1-2304/ 7028014 | HEX SHAFT BEARING .376" ID x 1" OD x .31" HT |

Snapper (Cont.)

| | STENS NO. | OEM NO. | DESCRIPTION/FITS MODELS |
|---|----------------|----------------------------------|---|
|  | 230-128 | 2-6693/1-0953/ 1-2390/1-5474 | HEAVY-DUTY WHEEL .750" ID x 1.381" OD x .482" HT |
|  | 230-144 | 1-8767/46983/ 7046983 | WHEEL ARM BEARING .560" ID x 1.375" OD x .437" HT |
|  | 240-275 | 2-3364/1-0927/ 7023364 | DRIVE RING 3" ID x 4" OD |
|  | 240-394 | 1-0765/7010765 | DRIVE DISC 3" ID x 6" OD |
|  | 240-440 | 5-3225/5-7444/ 7053225 | DRIVE HUB ASSEMBLY Fits self-propelled walk behinds |
|  | 240-630 | 1-7084/1-8555/ 75115/7075115 | SEAL BOOT 10 1/4" L; for rear engine riders |
|  | 240-648 | 1-7083/1-1011/ 75115/7075115 | SEAL BOOT 8" L; for rear engine riders |
|  | 240-671 | 6-1275/6-0710/ 7061275 | DRIVE PLATE Fits self-propelled models |
|  | 240-975 | 5-3103/5-7423/ 7053103 | DRIVE DISC KIT WITH LINER Fits new models with smooth clutch |
|  | 265-272 | 1-0749/7010749 | OEM SPEC BELT 1/2" W x 71 1/4" L |
|  | 265-363 | 1-2353/7012353 | OEM SPEC BELT 3/8" W x 25 3/4" L |
|  | 265-421 | 1-2508/1-1887/ 7012508 | OEM SPEC BELT 3/8" W x 24 1/2" L |
|  | 265-470 | 1-2354/7012354 | OEM SPEC BELT 3/8" W x 22 1/2" L |
|  | 280-164 | 7-6500/1-8585/ 7-6688/7076500 | HEAVY-DUTY FLAT IDLER 1/2" ID x 4 5/8" x 1" HT |
|  | 280-362 | 1-1029/7011029 | HEAVY-DUTY V-IDLER 3/8" ID x 4" OD x 3/4" HT |
|  | 285-486 | 1-1024/7011024 | REAR END PLUG Fits rear engine riders |
|  | 285-544 | 1-2122/7012122 | CLUTCH SPRING Fits self-propelled walk behinds |
|  | 285-635 | 2-9025/1-3694/ 1-7326/7029025 | TENSION SPRING Fits self-propelled steel deck models |
|  | 335-232 | 6-0785/7060785 | AIR LIFT KIT 2 11/16" L x 1 13/16" W x .119" THK |
|  | 335-240 | 1-9795/1-9645/ 1-9702/1-97101 | BLADE 20 5/8" L; 3/8" center hole |

Snapper (Cont.)

| | STENS NO. | OEM NO. | DESCRIPTION/FITS MODELS |
|--|------------------|--------------------------|--|
|  | 335-307 | 1-8069/7018069 | BLADE 30" L; 1 1/16" center hole |
|  | 335-315 | 1-9515/7019515 | BLADE 28" L; 1 1/16" center hole |
|  | 335-331 | 1-9523/7019523 | BLADE 33" L; 1 1/16" center hole |
|  | 335-356 | 1-9702/1-9645 | BLADE 20 5/8" L; 3/8" center hole |
|  | 335-422 | 3-7723/7037723 | AIR LIFT KIT 4" L x 3 5/8" W x .115" THK |
|  | 430-136 | 2-6343/7026343 | STARTER SWITCH Battery type; 3 positions; 5 terminals |
|  | 435-065 | 1-8817/75671/ 7075671 | STARTER SOLENOID 3 pole style; 12 volts; 1/4"-20 stud |
|  | 435-103 | 1-8604/75622/ 7075622 | STARTER SOLENOID 4 pole style; 12 volt; 1/4"-20 stud |
|  | **780-245 | 1-5257/7015257 | SHEAR PIN 1/4" hex thread; 1 5/8" L |

(**ORDER IN MULTIPLES OF TEN)