



## Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
<b>ARIENS</b> 8mm x 1.25 LHM — BC350, BC400, TB220E, TB260	385-407	385-430	385-465		385-284		385-730	385-734	*385-698 or 385-690
<b>ASTRON</b> 7mm x 1.00 LHM — S150 (1986), S250 (1984 and 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
8mm x 1.25 LHM — 256E, KFS4 series, KFS12, KFS22, KFS24, P750, PK2400E, PK3300E, S250 (1983)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHF — S250 (1988)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>BLACK &amp; DECKER</b> 3/8 x 24 RHF — 82255, 82257, 82267, 8271-04, -4 8289		385-435		385-587 or 385-580	385-285		385-730		*385-698 or 385-690
<b>BRUSH KING</b> 8mm x 1.25 LHM — BK32, BK32LT, BK49, BK85, BK100	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>BUNTON</b> 8mm x 1.25 LHF — LBS18K, LBS24K		385-427				385-288	385-730	385-734	*385-698 or 385-690
<b>DOLMAR</b> 3/8 x 24 RHF — BDC212, LT16, LT210		385-435		385-587 or 385-580	385-285		385-730		*385-698 or 385-690
10mm x 1.25 LHM — BC250, BC330, BC400					385-284		385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHF — BC210, BC212	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.00 LHF — BC337, BC377 F Bolt	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
8mm x 1.25 LHF — BC225, LT154, MS20C, MS2501, MS253, MS2514, MS2810, MS3210		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>ECHO</b> 10mm x 1.25 LHF— SRM series, 140, 140A, 140D, 200, 200A, 200AE, 200BE, 200Ce, 200D, 200DA, 200DB, 200DE, 202DA, 202FA, 210, 210AE, 210E, 210I, 210SB, 210U, 230, 230S, 230U, 250, 250E, 260, 260S, 260U, 300, 300AE, 300AE1, 300AE/1, 300E, 300E/1, 302, 302ADX, 303E, 311, 311S, 311U, 340, 400AE, 400B, 400BE, 400E, 400U, 1500, 1500A, 1501, 2100, 2100SB, 2101, 2110, 2200, 2201, 2300, 2301, 2400, 2400SB, 2410, 2500, 2501, 2501S, 2502, 2510, 2601, 3000, 3001, 3010, 3100, 3100S, 3110, 3400, 3410, 3800, 4600	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 RHF — GT series, 100, 140, 140B, 160, 160AE, 200, 200A, 200B, 200BE, 200CE, 200I, 200R, 230, 1000, 1100, 1100A, 2000, 2000SB, 2100, 2101, 2102, 2103, 2200, 2301, 2400, SRM2000		385-435		385-587 or 385-580	385-285		385-730		*385-698

\* 385-698 two line  
385-690 three line

2-CYCLE ENGINE/  
OTHER EQUIPMENT

## Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
<b>GREEN MACHINE</b> 8mm x 1.25 LHM — GRX-525H, 1200, 1500, 1600, 1700, 1900, 1930, 1940, 1950, 2000, 2100, 2130, 2200, 2230, 2300, 2331, 2340, 2345, 2500, 2500LP, 2510LP, 2540, 2540LP, 2600, 2800, 2810, 2840, 2841, 2850, 3000, 3000B, 3000J, 3000LP, 3000M, 3000SS, 3040M, 3050M, 3451, 3510, 3540, 3541, G2A, G2C, GT20, GT21, GT22, GT25, GT31, GT31B, GT35B, GT40B, GT41, SRM3000, SRM3000LP, SRM3000M, SRM3000SS, SRM3040M	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHM — 4000, 4000B, 4000J, 4000M, 4400LP, 500, 4500LPX, 4600LPX, BC250, BC400, D17, D18, G4C, SRM4000, SRM4000LP, SRM4000M							385-730	385-734	*385-698 or 385-690
<b>HOFFCO</b> 3/8 x 24 RHF — 1600, Critter, GT series, 14A, 14B, 14H, 21, 22, 160B, 160T, 160TL, 210, 211, 211A, 215H, 215T, 225, 225SPL, 256SPL, 320B, 320HT, 320T, 280, GR320B, GTX, GTSR, HOFFIE22, P22, LIL WIZ, 600, 1600, WC22, WC215, WT series, 14, 160, 160H, 160HT, 215, 250C, 250HT, 250HTA, 250WT, 320, 320H, 320HT, PC series, 22, 225, 380, WH series		385-435		385-587 or 385-580	385-285		385-730		*385-698
10mm x 1.25 LHF — JP series, 215, 215GT, 220F, 225, 260, 260A, 260C, 270, 300, 300A, 300B, 300C, 300F, 320, 390, 390A, 390C, 390XL, 420, 420D, 660	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>HOMELITE</b> 8mm x 1.25 LHM — HK24 (to 1986), HK30 (after 1985), HK33 (to 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 LHF — ST160, ST180, ST200, ST210				385-591					*385-698
8mm x 1.25 LHF — HK18 (after 1985), HK24 (after 1985), HK25, HK30 (before 1986), HK33 (after 1985), HK38, PBC3600, PBC3800, PBC4000, ST285, ST385		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
8mm x 1.25 LHF CB — HBC30, ST485		385-427					385-730	385-734	
Universal — ST175, ST175BC, ST185, ST145, ST155, ST285				385-580					385-629
<b>HONDA</b> 10mm x 1.25 LHF — UMK422LNA, UMK422LTA, UMK431LNA, UMK431LTA, UMK431UNBZ, HHT25SLTA, HHT31SLTA, HHT31SUNBA	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>HUSQVARNA</b> 8mm x 1.25 LHM — 16R (up to 1986), 22R (up to 1986), 24R (after serial #603702), 25R (up to 1986), 25RL (after 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
7mm x 1.0 LHM — 24R (up to Ser. #603702)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 RHF — 123C, 216CN, 26LC, 26RLC, 32LC, 32RLC, 325CX, 326C, Mondo		385-435		385-587 or 385-580	385-285		385-730		*385-698
10mm x 1.25 LHF — 122L, 123L, 123LD, 225L, 225LD, 225R, 225RD, 225RJ, 227LD, 232L, 232R, 235R, 322L, 322R, 323R, 325LX, 325RX, 326L, 326LX, 326RJX, 326RX	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 LHF — 32L, 32LR, 32R, 32RL				385-591					*385-698
5/16 x 24 RHF — 21LCN, 23LC, 322C, 325C				385-587					

\* 385-698 two line  
385-690 three line



## Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
<b>IDC</b> 10mm x 1.25 LHF — 540, 540-1, 540-2, 540, Supreme, 580, 580-1, 580-2, 580 Supreme Universal — 364, 500, 520, 530, 540	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690 385-629
<b>JOHN DEERE</b> 10mm x 1.25 LHF — 24S, 25S, 30S, 38B, 38R, 38S, 60G, 90G, 99G, 240G, 250G, 260G, 300G, 305, 350G, 360G, 380G, 385, 450G, 460G 3/8 x 24 RHF — 21C, 21S, 80G, 82, 82G, 83G, 85, 100G, 110G, 120G, 200G, 210G, 220G, 250G	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>JONSERED</b> 3/8 x 24 RHF — GT25L GT26, GT26L		385-435		385-587 or 385-580	385-285		385-730		*385-698
8mm x 1.25 LHM — BP40, BP40 Combi, BP2040, BR400, BR420, BR450, BR460, BR480, GT21L, GT22L, GT24L, GR26D, GR26L, GR26 Combi, GR32L, GR32L Cat, GR2026CL, GR2026D, GR2032, GR2032D, GR2032L, GR2036, LR200, LR220, LR220B, LR220L, LR260, LR260B, LR260L, LR300, LR320, LR400, LR420, LR450, LR460, Tiger 40 3/8 x 24 LHF — GT32 10mm x 1.25 LHF — GR41, GR44, RS44	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>KAАЗ</b> 10mm x 1.25 LHF — BS400, BX440, BX540, G3CR, G4CR, J40FD, J400G, J400GX, J480, J4BD, JQ40, JQ50, K10, K40D, KQ30, KQ30B, KT10, KT30R, RQ30, RQ30B, T240, T30, T50, U10, V15, V18, V25, V35, V40, VRP201, VRP301, VRP400, VRS201, VRS301, VRS400, VRX360, VRX440, VRX540, VS300, VS400, VS441, VX360, VX430, VX440, VX540 8mm x 1.25 LHF — G3CR, G4CR, K20, KLQ20, KQ20, KQ40, KQP20B, KT15R, KT17R, KT18R, RQ20, RQP20, VP15, VP20, VRS200, VRS300, VS220, VS250, VSP250, VX230, VX260 7mm x 1.0 LHM — V20	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>KAWASAKI</b> 8mm x 1.25 LHM — KBL23A, KBL26A, LBL34A 8mm x 1.25 LHF — KBL23A, KBL26A, KBL34A	385-407	385-430	385-465		385-284		385-730	385-734	*385-698 or 385-690
<b>LAWN-BOY</b> 10mm x 1.25 LHF — 1460, 1480, 1480CC, 61653, 61953	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>MAKITA</b> 8mm x 1.25 LHM — EM4251, RB251, RBC221, RBC230, RBC251, RBC252, RBC255, RBC260, RBC261, RBC281, RBC310, RBC311, RBC321, RST250	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

\* 385-698 two line  
385-690 three line

## Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
<b>MARUYAMA</b> 8mm x 1.25 LHM — BC184, BC184C, BC200, BC201, BC241, BC260, BC260H, BC260CB, BC320, BC320H, BC326, BC340DL, BC402, BC420H, BC500H, BC2300, BC2320, BC2600, BC2620, BC3020, BC3200, BC4200H, BCGX22, BCGX31, BCL2250, BCL2250C, BCL2550, BST23, MC8, MC-S	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
7mm x 1.0 LHM — BC220DL, BC221DL	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHM — BC430DWM, BC440DWM, BC500							385-730	385-734	*385-698 or 385-690
<b>McCULLOCH</b> 10mm x 1.25 LHF — EB series, III, IIISX, IV, IVSL, 32BC, 35L, 280, 282, 285BCS, 287BCS, 297BCS, 325BC, 327BC, 2815, 2816, 2817, 2818, 2845, 3225, 3225HD, 3227, 3227HD, Mac series, 90, 90A, 95, 95A, 99A, 99SL, 100A, 100AHD, 100HD, Pro Mac series, III, IIISUP, IVSUP, 2335J, 2635B, 2635J, 3335L, 4335B, Proscaper series, IS, II, IIHD, III, IV, V, PSI, PS2, PS3, PS4, PS5, 28S, 32HD, 32HDS, SEBIV, Silver Eagle, 32BCDLX, 32BCS, SupMac 100A, Titan series, 2300, 230AV, 2310, 2360, 2400, 2500AV, 2565AV, 3000, 2900	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 RHF — EB series, I, ILS, ISX, II, IISL, IISX, IIISL, IIISX, 285BC, 287BC, Mac series, 60, 60A, 60S, 60SX, 65, 65SL, 70, 70A, 75, 80, 80A, 80S, 80SL, 80SX, 85A, 85S, 85SL, 85SX, 2816, 2825, 2827, Pro Mac series, II, II-Sup, ISX, IVHD, 2320L, 2035, 2045, 2510, Proscaper series, I, IS, ISX, Proscaper, Roadrunner series, Roadrunner, II, III, SL, SEBISX Special, SEBIIIS, SEBIIIS, Super EBIS, Silver Eagle, 28, 28C, 32BC, Titan, 2100, 2200, 138SJ, 138SL		385-435		385-587 or 385-580	385-285		385-730		*385-698
3/8 x 24 LHF — Series 10 brushcutter				385-591					*385-698
10mm x 1.25 LHM — MAC57, MAC90, MAC95, MAC100A		385-430				385-288	385-730	385-734	
Universal — 60SX, 65, 65SL, 80SL, 80SX, MAC15RT, MAC2815, MAC2815, MAC2817, MAC2818, Eager Beaver models, Super, Super-SL, ISX, IISX, IISL, 280, 285, Pro Mac, Road Runner models				385-580					385-629
<b>MTD PRO</b> 10mm x 1.25 LHF — ST23, ST26, ST35	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>OLYMPYK</b> 8mm x 1.25 LHM — 433BP, 727S, 727T, 733S, 733T, 740S, 740T, B200, B220, B220L, B220S, B260, B260L, B300, B320, B400, B420, B450, B460, OL8260BAV, OL8260DAV, OL8260LAV, OL8260TA, OL8350BAV, OL8350LAV, OL8405BP, OL8360BAV, OL8725BAV, OL8725LAV, OL8726TA, OL8735BAV, OL8735LAV, OL8740BAV, OL8742BAV, OL8746BAV, OL8750PRO, OL8753BAV, OL88510BAV, PRO38	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

\* 385-698 two line  
385-690 three line



## Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
<b>POULAN</b> Universal — GT115T-17C, XT20T-40, Feather Lite units, 22-22T									*385-629
<b>3/8 x 24 RHF</b> — 770, PPC22, PPC25, PPC25E, PPC31, Pro series, 111, 112, 113, 115, 559, 609, 1350, 1500, 2400, 2500, 2600, 2610, 2615, 2700, Pro114, Pro117, Yard Pro series, 115, 120A, 130A, 145, 160, 200		385-435		385-587 or 385-580	385-285		385-730		*385-698
<b>3/8 x 24 LHF</b> — 165, 175, 185, 195, 200, 800, 900, 2620, 2820				385-591					*385-698
<b>RED MAX</b> <b>8mm x 1.25 LHM</b> — BC260DL, BC261DL, BC262DL, BC340DL, BC341DL, BC342DL, BC2200E, BC2200LDC, BC2301S, BC2600DL, BC2601S, BC3400DL, BC4400DL, BCX2600S, BCZX2500S, BT2200LDC, G2KC, SGC2300DL, SGCX2600S	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>10mm x 1.25 LHF</b> — BC200, BC250, BC200DL, BC2300DL, BC3401DL, BC4401DW, BCX2600S, BC2240S, BCZ2500SU, BCZ2500SWG, BCZ2600S, BCZ3000S, BCZ300SW, BT2000, BT2001DL, ECZ2500S-BC, SGCZ2500S, SGCZ2600S	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>7mm x 1.0 LHM</b> — BC220DL, BC221DL, BC240DL, BC300DL	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>10mm x 1.25 LHM</b> — BC430DWM, BC440DWM, BC441DWM, BC442DWM					385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>RYAN</b> <b>10mm x 1.25 LHF</b> — 284, 284-2, 284-3, 285, 285-1	385-407	385430	385465		385-284	385-288	385-730	385-734	*385-698 or 385-690
Universal — 260, 261, 262, 263, 264, 265, 270, 274, 275, 280, 364, 365				385-580					385-629
<b>RYOBI</b> <b>10mm x 1.25 LHF</b> — 740R, 740R-1, 750R, 775R, 780 series, 780R, 780R-1, 780RB, 780RE, 790R, 840R, 865R, 885R, 990R, 1079R, 2079R	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
Universal — 700R, 705R, 710R, 720R, 725R, 760R, 764R, 766R, 767R, 770R, 775R, 875R, 960R, 975R				385-580					385-629
<b>SEARS</b> <b>3/8 x 24 RHF</b> — 28151, 79534, 79541, 79542, 79544, 79551, 79552, 79556, 79580, 79590, 79603, 79604, 79605, 79606, 79608, 79611, 79612, 79613, 79614, 79616, 79621, 79680, 79690, 79703, 79713, 79715, 79717, 79718, 79721, 79772, 79782, 79803, 79804, 79805, 79812, 79814, 79815, 79924, 79821, 79826, 79925, 79929, 99512, 99515, 99516, 79725		385-435		385-587 or 385-580	385-285		385-730		*385-698
<b>3/8 x 24 LHF</b> — 79543, 79622, 79623, 79624, 79714, 79727, 79753, 79754, 79755, 79762, 79821, 79822, 79827, 79828, 79844, 79845, 79846, 79847, 79849, 79854, 79856, 79857, 79926, 79973, 79975, 791760, 797161, 798471, Weedeater series				385-591					*385-698
<b>10mm x 1.0 LHF</b> — 63679545, 63679558	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

\* 385-698 two line  
385-690 three line

2-CYCLE ENGINE/  
OTHER EQUIPMENT

## Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
<b>SEARS (Cont.)</b> Universal — 74131, 79605 5/16 x 24 RHF — 79801, 79809, 79852, 79853, 79855, 79908, 79909, 79911, 79912, 79922, 80956, 797101, 799211, HP22				385-587					385-629
<b>SHINDAIWA</b> 8mm x 1.25 LHM — BP35, BP45, C25, C27, C250, F20, R20, R25, R35, T25, T250, T260, T261, T27, T270, T350 7mm x 1.0 LHM — C20, C230, LT18, LT20, T18, T20, T20A, T35, T230, T230XR, T231 10mm x 1.25 LHF — T270, T272X, T350, T2510, T3410X	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>SNAPPER</b> 10mm x 1.25 LHF — 210SS, 2101SST, 211SS, 211ST, 215ORI, 215SST, 240SS, 240SST, 245ORT, 245SST, 310, 311, 311S, 410, 410SST, 411SST, 415ORT, SST2111, SSTBC, SST2401, SST4111, 410SST, P212LST 3/8 x 24 RHF — 212, 212CST, 213, 213CST, 214DCST, P212CST	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>SOLO</b> 8mm x 1.25 LHF — 120, 122, 124, 126, 135, 140, 200, 300, S200, S300 10mm x 1.25 LHF — 014, 100, 130S, 400, S100, S400		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>STIHL</b> 8mm x 1.25 LHM — FS50, FS50E, FS50F, FS51, FS51AVE, FS55, FS55R, FS60, FS61, FS61AE, FS61E, FS65, FS65AVE, FS65AVRE, FS80E, FS80RE, FS86, FS90, FS90AVE, FS91, FS96 10mm x 1.0 LHF — FR106, FR108, FS44, FS44B, FS44J, FS44R, FS48, FS52, FS52AVE, FS52AVRE, FS55, FS56, FS56AVRE, FS62, FS62AVE, FS62AVRE, FS66, FS66AVE, FS66AVRE, FS74, FS74AVE, FS74AVRE, FS76, FS76AVE, FS76AVRE, FS80, FS80R, FS81, FS81AVE, FS81AVRE, FS83, FS83R, FS85, FS85R, FS85RX, FS85RT, FS86, FS86AVE, FS86AVRE, FS88, FS96, FS106, FS106AVE, FS108, FS110, FS11R, FS110RX, FS120, FS120R, FS250, FS250R, FS350, FS450K, FS550, FS550K	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>SUBARU/ROBIN</b> 8mm x 1.25 LHF — NB02, NB02-3A, NB02T, NB03, NB16, NB16S, NB16T, NB20T, NB27, NB27AU, NB31, NB31AU, NB211, NB223, NB231, NB253, NB281, NB281AU, NBF16F, NBT415 10mm x 1.0 LHF — NB04, NB042D, NB30, NB50, NB50L, NB321, NB321AU, NB351, NB411, NB415, NB2001, NBKT415		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

\* 385-698 two line  
385-690 three line



## Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
<b>TANAKA</b> 8mm x 1.25 LHM — AST210, AST7000, SUM301, SUM321, TBC series, 162, 205, 215, 218, 220, 220E, 220SS, 232, 233, 240, 250, 262, 265, 270PF, 300, 301, 321, 322, 325, 373, 400, 420PF, 422, 422C, 425, 500, 501, 2100, 2110, 2211, 2510, 2800, 3010, 4500, 4501, TST218, TST501 8mm x 1.25 LHF — TBC160, TBC202, TBC210, TC1600 3/8 x 24 RHF — TBC200	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
		385-435		385-587 or 385-580	385-285		385-730		*385-698
<b>TMC</b> 8mm x 1.25 LHM — 1800, 2400, 3300, 3350	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>TORO</b> 10mm x 1.25 LHF — 1000, 2000, 30900, 30901, 30920, 51628, 51641, 51645, 51650, 51660, CL700, CL2100, CL30900, CL30901, CL30920, TC300, TC350, TC400, TC600, TC650, TC700, TC800, TC2100, TC3000, TC3100, TC3500, TC4000, TC5000 3/8 x 24 RHF — TC1000, TC2000	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
		385-435		385-587 or 385-580	385-285		385-730		*385-698
Universsal — 51450, 51620, 51903, 51904, 61906, 51907, 51911, 51912, 51916, 51917, 51920, 51921, 51926, 51927									385-629
<b>TURF POWER</b> 10mm x 1.25 LHF — 740TP, 780TP	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
<b>WEEDEATER</b> 3/8 x 24 RHF — 85, 100, 125, 125B, 165, 175, 185, 5195, 500, 07, 559, 587, 599, 600, 607, 608, 609, 1400, 1400T, 1500, 1600, 1600T, 1700, 1700A, 1740, 3500, GT115, GT116, GT117C, GT117T, GT118, GT118B, GT118KT, GT118T, Gt119, GT152, GT1 Super 16, Pro-Lite, Pro-Lite Plus, Pro series, 111, 112, 114, 115, 117, Pro Trim, Ultra Trim, Weedy 2215, XR series, 20, 20T, 30, 50, 50A, 50S, 70, 75, 80, 80A, 85, XT series, 20, 35, 50T, 80, 85, 85T, Yard Pro series, 110, 115, 116, 120, 120A, 130, 130A, 145 3/8 x 24 LHF — GT119, HP30SB, HP30SBP, TBC57, XR125, XT20, XT50, XT85, XT90, XT100, XT125, XT125B, XT125KT, XT125T, XT125TR, Yard Pro 105, Yard Pro 140 5/16 x 24 RHF — Featherlite, GT117, GT117E, GT117LE, HP22, HP22T, HP30T, LT7000, LT7500, XT20T, XT25, XT40, XT40T		385-435		385-587	385-285		385-730		*385-698
				385-591					*385-698
				385-587					
<b>YAZOO</b> 8mm x 1.25 LHM — TBC31, YBC16, YBC23, YBC31	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

\* 385-698 two line  
385-690 three line

2-CYCLE ENGINE/  
OTHER EQUIPMENT