



Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
ARIENS 8mm x 1.25 LHM — BC350, BC400, TB220E, TB260	385-407	385-430	385-465		385-284		385-730	385-734	*385-698 or 385-690
ASTRON 7mm x 1.00 LHM — S150 (1986), S250 (1984 and 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
8mm x 1.25 LHM — 256E, KFS4 series, KFS12, KFS22, KFS24, P750, PK2400E, PK3300E, S250 (1983)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHF — S250 (1988)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
BLACK & DECKER 3/8 x 24 RHF — 82255, 82257, 82267, 8271-04, -4 8289		385-435		385-587 or 385-580	385-285		385-730		*385-698 or 385-690
BRUSH KING 8mm x 1.25 LHM — BK32, BK32LT, BK49, BK85, BK100	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
BUNTON 8mm x 1.25 LHF — LBS18K, LBS24K		385-427				385-288	385-730	385-734	*385-698 or 385-690
DOLMAR 3/8 x 24 RHF — BDC212, LT16, LT210		385-435		385-587 or 385-580	385-285		385-730		*385-698 or 385-690
10mm x 1.25 LHM — BC250, BC330, BC400					385-284		385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHF — BC210, BC212	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.00 LHF — BC337, BC377 F Bolt	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
8mm x 1.25 LHF — BC225, LT154, MS20C, MS2501, MS253, MS2514, MS2810, MS3210		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
ECHO 10mm x 1.25 LHF— SRM series, 140, 140A, 140D, 200, 200A, 200AE, 200BE, 200Ce, 200D, 200DA, 200DB, 200DE, 202DA, 202FA, 210, 210AE, 210E, 210I, 210SB, 210U, 230, 230S, 230U, 250, 250E, 260, 260S, 260U, 300, 300AE, 300AE1, 300AE1, 300E, 300E/1, 302, 302ADX, 303E, 311, 311S, 311U, 340, 400AE, 400B, 400BE, 400E, 400U, 1500, 1500A, 1501, 2100, 2100SB, 2101, 2110, 2200, 2201, 2300, 2301, 2400, 2400SB, 2410, 2500, 2501, 2501S, 2502, 2510, 2601, 3000, 3001, 3010, 3100, 3100S, 3110, 3400, 3410, 3800, 4600	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 RHF — GT series, 100, 140, 140B, 160, 160AE, 200, 200A, 200B, 200BE, 200CE, 200I, 200R, 230, 1000, 1100, 1100A, 2000, 2000SB, 2100, 2101, 2102, 2103, 2200, 2301, 2400, SRM2000		385-435		385-587 or 385-580	385-285		385-730		*385-698

* 385-698 two line
385-690 three line

2-CYCLE ENGINE/
OTHER EQUIPMENT

Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
GREEN MACHINE 8mm x 1.25 LHM — GRX-525H, 1200, 1500, 1600, 1700, 1900, 1930, 1940, 1950, 2000, 2100, 2130, 2200, 2230, 2300, 2331, 2340, 2345, 2500, 2500LP, 2510LP, 2540, 2540LP, 2600, 2800, 2810, 2840, 2841, 2850, 3000, 3000B, 3000J, 3000LP, 3000M, 3000SS, 3040M, 3050M, 3451, 3510, 3540, 3541, G2A, G2C, GT20, GT21, GT22, GT25, GT31, GT31B, GT35B, GT40B, GT41, SRM3000, SRM3000LP, SRM3000M, SRM3000SS, SRM3040M	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHM — 4000, 4000B, 4000J, 4000M, 4400LP, 500, 4500LPX, 4600LPX, BC250, BC400, D17, D18, G4C, SRM4000, SRM4000LP, SRM4000M							385-730	385-734	*385-698 or 385-690
HOFFCO 3/8 x 24 RHF — 1600, Critter, GT series, 14A, 14B, 14H, 21, 22, 160B, 160T, 160TL, 210, 211, 211A, 215H, 215T, 225, 225SPL, 256SPL, 320B, 320HT, 320T, 280, GR320B, GTX, GTSR, HOFFIE22, P22, LIL WIZ, 600, 1600, WC22, WC215, WT series, 14, 160, 160H, 160HT, 215, 250C, 250HT, 250HTA, 250WT, 320, 320H, 320HT, PC series, 22, 225, 380, WH series		385-435		385-587 or 385-580	385-285		385-730		*385-698
10mm x 1.25 LHF — JP series, 215, 215GT, 220F, 225, 260, 260A, 260C, 270, 300, 300A, 300B, 300C, 300F, 320, 390, 390A, 390C, 390XL, 420, 420D, 660	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
HOMELITE 8mm x 1.25 LHM — HK24 (to 1986), HK30 (after 1985), HK33 (to 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 LHF — ST160, ST180, ST200, ST210				385-591					*385-698
8mm x 1.25 LHF — HK18 (after 1985), HK24 (after 1985), HK25, HK30 (before 1986), HK33 (after 1985), HK38, PBC3600, PBC3800, PBC4000, ST285, ST385		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
8mm x 1.25 LHF CB — HBC30, ST485		385-427					385-730	385-734	
Universal — ST175, ST175BC, ST185, ST145, ST155, ST285				385-580					385-629
HONDA 10mm x 1.25 LHF — UMK422LNA, UMK422LTA, UMK431LNA, UMK431LTA, UMK431UNBZ, HHT25SLTA, HHT31SLTA, HHT31SUNBA	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
HUSQVARNA 8mm x 1.25 LHM — 16R (up to 1986), 22R (up to 1986), 24R (after serial #603702), 25R (up to 1986), 25RL (after 1986)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
7mm x 1.0 LHM — 24R (up to Ser. #603702)	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 RHF — 123C, 216CN, 26LC, 26RLC, 32LC, 32RLC, 325CX, 326C, Mondo		385-435		385-587 or 385-580	385-285		385-730		*385-698
10mm x 1.25 LHF — 122L, 123L, 123LD, 225L, 225LD, 225R, 225RD, 225RJ, 227LD, 232L, 232R, 235R, 322L, 322R, 323R, 325LX, 325RX, 326L, 326LX, 326RJX, 326RX	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 LHF — 32L, 32LR, 32R, 32RL				385-591					*385-698
5/16 x 24 RHF — 21LCN, 23LC, 322C, 325C				385-587					

* 385-698 two line
385-690 three line



Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
IDC 10mm x 1.25 LHF — 540, 540-1, 540-2, 540, Supreme, 580, 580-1, 580-2, 580 Supreme Universal — 364, 500, 520, 530, 540	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690 385-629
JOHN DEERE 10mm x 1.25 LHF — 24S, 25S, 30S, 38B, 38R, 38S, 60G, 90G, 99G, 240G, 250G, 260G, 300G, 305, 350G, 360G, 380G, 385, 450G, 460G 3/8 x 24 RHF — 21C, 21S, 80G, 82, 82G, 83G, 85, 100G, 110G, 120G, 200G, 210G, 220G, 250G	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
JONSERED 3/8 x 24 RHF — GT25L GT26, GT26L		385-435		385-587 or 385-580	385-285		385-730		*385-698
8mm x 1.25 LHM — BP40, BP40 Combi, BP2040, BR400, BR420, BR450, BR460, BR480, GT21L, GT22L, GT24L, GR26D, GR26L, GR26 Combi, GR32L, GR32L Cat, GR2026CL, GR2026D, GR2032, GR2032D, GR2032L, GR2036, LR200, LR220, LR220B, LR220L, LR260, LR260B, LR260L, LR300, LR320, LR400, LR420, LR450, LR460, Tiger 40 3/8 x 24 LHF — GT32 10mm x 1.25 LHF — GR41, GR44, RS44	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
KAАЗ 10mm x 1.25 LHF — BS400, BX440, BX540, G3CR, G4CR, J40FD, J400G, J400GX, J480, J4BD, JQ40, JQ50, K10, K40D, KQ30, KQ30B, KT10, KT30R, RQ30, RQ30B, T240, T30, T50, U10, V15, V18, V25, V35, V40, VRP201, VRP301, VRP400, VRS201, VRS301, VRS400, VRX360, VRX440, VRX540, VS300, VS400, VS441, VX360, VX430, VX440, VX540 8mm x 1.25 LHF — G3CR, G4CR, K20, KLQ20, KQ20, KQ40, KQP20B, KT15R, KT17R, KT18R, RQ20, RQP20, VP15, VP20, VRS200, VRS300, VS220, VS250, VSP250, VX230, VX260 7mm x 1.0 LHM — V20	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
KAWASAKI 8mm x 1.25 LHM — KBL23A, KBL26A, LBL34A 8mm x 1.25 LHF — KBL23A, KBL26A, KBL34A	385-407	385-430	385-465		385-284		385-730	385-734	*385-698 or 385-690
LAWN-BOY 10mm x 1.25 LHF — 1460, 1480, 1480CC, 61653, 61953	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
MAKITA 8mm x 1.25 LHM — EM4251, RB251, RBC221, RBC230, RBC251, RBC252, RBC255, RBC260, RBC261, RBC281, RBC310, RBC311, RBC321, RST250	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

* 385-698 two line
385-690 three line

Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
MARUYAMA 8mm x 1.25 LHM — BC184, BC184C, BC200, BC201, BC241, BC260, BC260H, BC260CB, BC320, BC320H, BC326, BC340DL, BC402, BC420H, BC500H, BC2300, BC2320, BC2600, BC2620, BC3020, BC3200, BC4200H, BCGX22, BCGX31, BCL2250, BCL2250C, BCL2550, BST23, MC8, MC-S	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
7mm x 1.0 LHM — BC220DL, BC221DL	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHM — BC430DWM, BC440DWM, BC500							385-730	385-734	*385-698 or 385-690
McCULLOCH 10mm x 1.25 LHF — EB series, III, IIISX, IV, IVSL, 32BC, 35L, 280, 282, 285BCS, 287BCS, 297BCS, 325BC, 327BC, 2815, 2816, 2817, 2818, 2845, 3225, 3225HD, 3227, 3227HD, Mac series, 90, 90A, 95, 95A, 99A, 99SL, 100A, 100AHD, 100HD, Pro Mac series, III, IIISUP, IVSUP, 2335J, 2635B, 2635J, 3335L, 4335B, Proscaper series, IS, II, IIHD, III, IV, V, PSI, PS2, PS3, PS4, PS5, 28S, 32HD, 32HDS, SEBIV, Silver Eagle, 32BCDLX, 32BCS, SupMac 100A, Titan series, 2300, 230AV, 2310, 2360, 2400, 2500AV, 2565AV, 3000, 2900	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
3/8 x 24 RHF — EB series, I, ILS, ISX, II, IISL, IISX, IIISL, IIISX, 285BC, 287BC, Mac series, 60, 60A, 60S, 60SX, 65, 65SL, 70, 70A, 75, 80, 80A, 80S, 80SL, 80SX, 85A, 85S, 85SL, 85SX, 2816, 2825, 2827, Pro Mac series, II, II-Sup, ISX, IVHD, 2320L, 2035, 2045, 2510, Proscaper series, I, IS, ISX, Proscaper, Roadrunner series, Roadrunner, II, III, SL, SEBISX Special, SEBIIIS, SEBIIIS, Super EBIS, Silver Eagle, 28, 28C, 32BC, Titan, 2100, 2200, 138SJ, 138SL		385-435		385-587 or 385-580	385-285		385-730		*385-698
3/8 x 24 LHF — Series 10 brushcutter				385-591					*385-698
10mm x 1.25 LHM — MAC57, MAC90, MAC95, MAC100A		385-430				385-288	385-730	385-734	
Universal — 60SX, 65, 65SL, 80SL, 80SX, MAC15RT, MAC2815, MAC2815, MAC2817, MAC2818, Eager Beaver models, Super, Super-SL, ISX, IISX, IISL, 280, 285, Pro Mac, Road Runner models				385-580					385-629
MTD PRO 10mm x 1.25 LHF — ST23, ST26, ST35	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
OLYMPYK 8mm x 1.25 LHM — 433BP, 727S, 727T, 733S, 733T, 740S, 740T, B200, B220, B220L, B220S, B260, B260L, B300, B320, B400, B420, B450, B460, OL8260BAV, OL8260DAV, OL8260LAV, OL8260TA, OL8350BAV, OL8350LAV, OL8405BP, OL8360BAV, OL8725BAV, OL8725LAV, OL8726TA, OL8735BAV, OL8735LAV, OL8740BAV, OL8742BAV, OL8746BAV, OL8750PRO, OL8753BAV, OL88510BAV, PRO38	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

* 385-698 two line
385-690 three line



Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
POULAN Universal — GT115T-17C, XT20T-40, Feather Lite units, 22-22T									*385-629
3/8 x 24 RHF — 770, PPC22, PPC25, PPC25E, PPC31, Pro series, 111, 112, 113, 115, 559, 609, 1350, 1500, 2400, 2500, 2600, 2610, 2615, 2700, Pro114, Pro117, Yard Pro series, 115, 120A, 130A, 145, 160, 200		385-435		385-587 or 385-580	385-285		385-730		*385-698
3/8 x 24 LHF — 165, 175, 185, 195, 200, 800, 900, 2620, 2820				385-591					*385-698
RED MAX 8mm x 1.25 LHM — BC260DL, BC261DL, BC262DL, BC340DL, BC341DL, BC342DL, BC2200E, BC2200LDC, BC2301S, BC2600DL, BC2601S, BC3400DL, BC4400DL, BCX2600S, BCZX2500S, BT2200LDC, G2KC, SGC2300DL, SGCX2600S	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHF — BC200, BC250, BC200DL, BC2300DL, BC3401DL, BC4401DW, BCX2600S, BC2240S, BCZ2500SU, BCZ2500SWG, BCZ2600S, BCZ3000S, BCZ300SW, BT2000, BT2001DL, ECZ2500S-BC, SGCZ2500S, SGCZ2600S	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
7mm x 1.0 LHM — BC220DL, BC221DL, BC240DL, BC300DL	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
10mm x 1.25 LHM — BC430DWM, BC440DWM, BC441DWM, BC442DWM					385-284	385-288	385-730	385-734	*385-698 or 385-690
RYAN 10mm x 1.25 LHF — 284, 284-2, 284-3, 285, 285-1	385-407	385430	385465		385-284	385-288	385-730	385-734	*385-698 or 385-690
Universal — 260, 261, 262, 263, 264, 265, 270, 274, 275, 280, 364, 365				385-580					385-629
RYOBI 10mm x 1.25 LHF — 740R, 740R-1, 750R, 775R, 780 series, 780R, 780R-1, 780RB, 780RE, 790R, 840R, 865R, 885R, 990R, 1079R, 2079R	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
Universal — 700R, 705R, 710R, 720R, 725R, 760R, 764R, 766R, 767R, 770R, 775R, 875R, 960R, 975R				385-580					385-629
SEARS 3/8 x 24 RHF — 28151, 79534, 79541, 79542, 79544, 79551, 79552, 79556, 79580, 79590, 79603, 79604, 79605, 79606, 79608, 79611, 79612, 79613, 79614, 79616, 79621, 79680, 79690, 79703, 79713, 79715, 79717, 79718, 79721, 79772, 79782, 79803, 79804, 79805, 79812, 79814, 79815, 79924, 79821, 79826, 79925, 79929, 99512, 99515, 99516, 79725		385-435		385-587 or 385-580	385-285		385-730		*385-698
3/8 x 24 LHF — 79543, 79622, 79623, 79624, 79714, 79727, 79753, 79754, 79755, 79762, 79821, 79822, 79827, 79828, 79844, 79845, 79846, 79847, 79849, 79854, 79856, 79857, 79926, 79973, 79975, 791760, 797161, 798471, Weedeater series				385-591					*385-698
10mm x 1.0 LHF — 63679545, 63679558	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

* 385-698 two line
385-690 three line

2-CYCLE ENGINE/
OTHER EQUIPMENT

Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
SEARS (Cont.) Universal — 74131, 79605 5/16 x 24 RHF — 79801, 79809, 79852, 79853, 79855, 79908, 79909, 79911, 79912, 79922, 80956, 797101, 799211, HP22				385-587					385-629
SHINDAIWA 8mm x 1.25 LHM — BP35, BP45, C25, C27, C250, F20, R20, R25, R35, T25, T250, T260, T261, T27, T270, T350 7mm x 1.0 LHM — C20, C230, LT18, LT20, T18, T20, T20A, T35, T230, T230XR, T231 10mm x 1.25 LHF — T270, T272X, T350, T2510, T3410X	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
SNAPPER 10mm x 1.25 LHF — 210SS, 2101SST, 211SS, 211ST, 215ORI, 215SST, 240SS, 240SST, 245ORT, 245SST, 310, 311, 311S, 410, 410SST, 411SST, 415ORT, SST2111, SSTBC, SST2401, SST4111, 410SST, P212LST 3/8 x 24 RHF — 212, 212CST, 213, 213CST, 214DCST, P212CST	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
SOLO 8mm x 1.25 LHF — 120, 122, 124, 126, 135, 140, 200, 300, S200, S300 10mm x 1.25 LHF — 014, 100, 130S, 400, S100, S400		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
STIHL 8mm x 1.25 LHM — FS50, FS50E, FS50F, FS51, FS51AVE, FS55, FS55R, FS60, FS61, FS61AE, FS61E, FS65, FS65AVE, FS65AVRE, FS80E, FS80RE, FS86, FS90, FS90AVE, FS91, FS96 10mm x 1.0 LHF — FR106, FR108, FS44, FS44B, FS44J, FS44R, FS48, FS52, FS52AVE, FS52AVRE, FS55, FS56, FS56AVRE, FS62, FS62AVE, FS62AVRE, FS66, FS66AVE, FS66AVRE, FS74, FS74AVE, FS74AVRE, FS76, FS76AVE, FS76AVRE, FS80, FS80R, FS81, FS81AVE, FS81AVRE, FS83, FS83R, FS85, FS85R, FS85RX, FS85RT, FS86, FS86AVE, FS86AVRE, FS88, FS96, FS106, FS106AVE, FS108, FS110, FS11R, FS110RX, FS120, FS120R, FS250, FS250R, FS350, FS450K, FS550, FS550K	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
SUBARU/ROBIN 8mm x 1.25 LHF — NB02, NB02-3A, NB02T, NB03, NB16, NB16S, NB16T, NB20T, NB27, NB27AU, NB31, NB31AU, NB211, NB223, NB231, NB253, NB281, NB281AU, NBF16F, NBT415 10mm x 1.0 LHF — NB04, NB042D, NB30, NB50, NB50L, NB321, NB321AU, NB351, NB411, NB415, NB2001, NBKT415		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

* 385-698 two line
385-690 three line



Trimmer Head Application Chart

APPLICATION/SIZE OF TRIMMER HEAD	Heavy-Duty Twist Feed	Bump Feed	Pro Bump Feed	Mini Bump Feed	Speed Feed 375	Speed Feed 450	Silver-Back 4"	Silver-Back 6"	Kwik Loader
TANAKA 8mm x 1.25 LHM — AST210, AST7000, SUM301, SUM321, TBC series, 162, 205, 215, 218, 220, 220E, 220SS, 232, 233, 240, 250, 262, 265, 270PF, 300, 301, 321, 322, 325, 373, 400, 420PF, 422, 422C, 425, 500, 501, 2100, 2110, 2211, 2510, 2800, 3010, 4500, 4501, TST218, TST501 8mm x 1.25 LHF — TBC160, TBC202, TBC210, TC1600 3/8 x 24 RHF — TBC200	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
		385-427			385-284	385-288	385-730	385-734	*385-698 or 385-690
		385-435		385-587 or 385-580	385-285		385-730		*385-698
TMC 8mm x 1.25 LHM — 1800, 2400, 3300, 3350	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
TORO 10mm x 1.25 LHF — 1000, 2000, 30900, 30901, 30920, 51628, 51641, 51645, 51650, 51660, CL700, CL2100, CL30900, CL30901, CL30920, TC300, TC350, TC400, TC600, TC650, TC700, TC800, TC2100, TC3000, TC3100, TC3500, TC4000, TC5000 3/8 x 24 RHF — TC1000, TC2000	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
		385-435		385-587 or 385-580	385-285		385-730		*385-698
Universsal — 51450, 51620, 51903, 51904, 61906, 51907, 51911, 51912, 51916, 51917, 51920, 51921, 51926, 51927									385-629
TURF POWER 10mm x 1.25 LHF — 740TP, 780TP	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690
WEEDEATER 3/8 x 24 RHF — 85, 100, 125, 125B, 165, 175, 185, 5195, 500, 07, 559, 587, 599, 600, 607, 608, 609, 1400, 1400T, 1500, 1600, 1600T, 1700, 1700A, 1740, 3500, GT115, GT116, GT117C, GT117T, GT118, GT118B, GT118KT, GT118T, Gt119, GT152, GT1 Super 16, Pro-Lite, Pro-Lite Plus, Pro series, 111, 112, 114, 115, 117, Pro Trim, Ultra Trim, Weedy 2215, XR series, 20, 20T, 30, 50, 50A, 50S, 70, 75, 80, 80A, 85, XT series, 20, 35, 50T, 80, 85, 85T, Yard Pro series, 110, 115, 116, 120, 120A, 130, 130A, 145 3/8 x 24 LHF — GT119, HP30SB, HP30SBP, TBC57, XR125, XT20, XT50, XT85, XT90, XT100, XT125, XT125B, XT125KT, XT125T, XT125TR, Yard Pro 105, Yard Pro 140 5/16 x 24 RHF — Featherlite, GT117, GT117E, GT117LE, HP22, HP22T, HP30T, LT7000, LT7500, XT20T, XT25, XT40, XT40T		385-435		385-587	385-285		385-730		*385-698
				385-591					*385-698
				385-587					
YAZOO 8mm x 1.25 LHM — TBC31, YBC16, YBC23, YBC31	385-407	385-430	385-465		385-284	385-288	385-730	385-734	*385-698 or 385-690

* 385-698 two line
385-690 three line

2-CYCLE ENGINE/
OTHER EQUIPMENT